

FIG. 1





FIG. 2



TOP SECRET 9894060

FIG. 3




FIG. 4




FIG. 4

FIG. 5

MESSAGE FOR REQUESTING PACKET COMMUNICATION




FIG. 6




FIG. 7

PACKET COMMUNICATION O. K. MESSAGE
(RESPONSE MESSAGE)




FIG. 8





FIG. 10



0904686-071301

FIG. 11A

ACCOUNTING MODE
SELECTION SCREEN 12

- ACCOUNTING MODES
- 1. PACKET COUNT
 - 2. PAKCET QUANTITY
 - 3. COMMUNICATION TIME



FIG. 11B

REGISTERED ACCOUNTING
MODE SELECTION SCREEN 19

- REGISTERED ACCOUNTING
MODES,
- 1. PACKET COUNT
 - 2. PAKCET QUANTITY
 - 3. COMMUNICATION TIME



FIG. 11C

ACCOUNTING STATES
DISPLAY SCREEN 17





FIG. 12



090436-0301

FIG. 13

MESSAGE FOR REQUESTING PACKET COMMUNICATION




FIG. 14

PACKET COMMUNICATION O. K. MESSAGE




FIG. 15A

ACCOUNTING MODE
SELECTION SCREEN





FIG. 15B

ACCOUNTING MODE
SELECTION SCREEN




FIG. 16A




FIG. 16B




FIG. 16C




FIG. 17A

ACCOUNTING MODE
SELECTION SCREEN

12

ACCOUNTING MODES

1. PACKET COUNT
2. PACKET QUANTITY
3. COMMUNICATION TIME

K

FIG. 17B

ALARM NOTIFICATION
SETTING SCREEN

23

ALARMED/UNARMED ?

1. ALARMED
2. UNARMED

K

FIG. 17C

THRESHOLD VALUE
INPUT SCREEN

24

THRESHOLD VALUE
INPUTTED ?

PER X BYTES

FIG. 18

DISC/REL MESSAGE




FIG. 19

ACCOUNTING METHOD SETTING MESSAGE




FIG. 20

ACCOUNTING METHOD SELECTION SCREEN




FIG. 21A




FIG. 21B




FIG. 22






FIG. 23



0904586-01301

FIG. 24



0904686-07301

FIG. 25A

PAKCET FOWARDING SCREEN

32

WHERE CONNECTED TO ?

090xxxxxxxx




FIG. 25B

ACCONTING METHOD
SPECIFYING SCREEN

33

WHICH ACCOUNTING
METHOD ?

- 1. TIME-BASIS
ACCOUNTING
- 2. PAKCET COUNT
ACCOUNTING
- 3. PAKCET QUANTITY
ACCOUNTING
- 4. DENSITY ACCOUNTING
- 5.

K

FIG. 26




FIG. 27




FIG. 28

2000/08/01		08:30-09:15	
00:45:50	30	100	
2000/08/01		08:30-09:15	
00:45:50	30	100	
⋮			

RECORD OF ACCOUNTING DATA FOR ONE CALL

40

36A

FIG. 29

RESULT-OF-SETTLEMENT
SCREEN

41

SELECTION OF SETTLEMENT

SETTLEMENT PERIOD
2000/8/1 23:58~
2000/8/1 23:59

PACKET COUNT

X-PACKETS ¥100
;PACKET QUANTITY ¥120
;X-BYTES

COMMUNICATION TIME;
X MINUTES ¥80

FIG. 30




FIG. 31




FIG. 31

FIG. 32

ACCOUNTING DATA DISPLAY SCREEN

8/1:8:30-9:15
T:45 MIN 50 SEC
P:30/B:100M
8/1:10:15-10:09 (C)
T:4 MIN 15 SEC

.....

09904685 071301

FIG. 33





FIG. 34



0000466-001

FIG. 35A






FIG. 35B



090466-0134

FIG. 36

COMMUNICAITON METHOD SELECTION SCREEN



COMMUNICATION METHOD
SELECTED ?


1. YES
2. NO

51

This diagram shows a rounded rectangular screen with the title 'COMMUNICATION METHOD SELECTED ?' at the top. Below the title are two numbered options: '1. YES' and '2. NO'. A curved line points from the number '51' to the right side of the screen.

FIG. 37

SERVICE CATEGORY (CALL CATEGORY)
SELECTION SCREEN



SERVICE CATEGORY

1. MAIL
2. WEB ACCESS
3. VOIP

K

52

This diagram shows a rounded rectangular screen with the title 'SERVICE CATEGORY' at the top. Below the title are three numbered options: '1. MAIL', '2. WEB ACCESS', and '3. VOIP'. The option '2. WEB ACCESS' is enclosed in a dashed rectangular box. A dashed line points from the letter 'K' to this box. A curved line points from the number '52' to the right side of the screen.

FIG. 38

COMMUNITION QUANTITY INPUT SCREEN

COMMUNICATION
QUANTITY ?
(INPUT BYTE COUNT)

53

FIG. 39

PARAMETER DETERMINATION SCREEN

PARAMTER ?

1. COMMUNICAITON FEE
2. COMMUNITION TIME

K

54

FIG. 40

ON-COMMUNICATION-PROCESS SCREEN




FIG. 41

COMMUNICATION CONTINUATION SELECTION SCREEN

